

--As a result of extensive investigations, the present inventors have found that the above-described objects can be attained by the means described below:

(1) a silver halide color photographic light-sensitive material for movie, comprising a support having thereon at least one yellow color-forming light-sensitive silver halide emulsion layer, at least one cyan color-forming light-sensitive silver halide emulsion layer, at least one magenta color-forming light-sensitive silver halide emulsion layer, and at least one light-insensitive non-color forming hydrophilic colloid layer, wherein at least one cyan color-forming silver halide emulsion layer contains at least one cyan dye-forming coupler selected from the compounds represented by the following formula [C-1] and at least one light-insensitive non-color forming hydrophilic colloid layer is positioned between the support and a light-sensitive silver halide emulsion layer most adjacent to the support:

$$\begin{array}{c}
\mathbb{R}^{1} \\
\mathbb{R}^{2} \\
\mathbb{R}^{2} \\
\mathbb{R}^{2} \\
\mathbb{R}^{2}
\end{array}$$
[C-1]

wherein Z^a and Z^b each represents $-C(R^3) = \text{ or } -N =$, provided that either one of Z^a and Z^b is -N = and another is $-C(R^3) =$, R^1 and R^2 each represents an electron attractive group having a Hammett's substituent constant σ_p value of from 0.20 or more, provided that

the sum of σ_p values of R^1 and R^2 is 0.65 or more, R^3 represents hydrogen atom or a group capable of splitting off upon coupling reaction with an oxidation product of an aromatic primary amine color developing agent, and the group represented by R^1 , R^2 , R^3 or X may assume a divalent group and combine with a divalent or greater polymer or a polymer chain to form a homopolymer or a copolymer; and

(2) a silver halide color photographic light-sensitive material for movie, comprising a transparent support having thereon at least three kinds of light-sensitive hydrophilic colloid layers each containing any one of yellow, magenta and cyan dye-forming couplers and containing silver halide emulsion grains different from each other in the color sensitivity, and at least one light-insensitive hydrophilic colloid layer, wherein any one layer contains at least one compound represented by formula [XI], at least one light-insensitive hydrophilic colloid layer contains a solid fine particle dispersion of a dye represented by formula [I], and the silver halide color photographic light-sensitive material has a film pH of from 4.6 to 6.4:

$$\begin{bmatrix} R_2 & R_3 & L_1 + L_2 = L_3 \end{pmatrix}_{m} & \begin{bmatrix} R_6 & R_5 \\ R_1 & R_4 \end{bmatrix} \xrightarrow{\frac{1}{n}} M^{n+} \quad [XI]$$

wherein R_1 and R_4 each independently represents hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, -NR7R8, $-NR_7CONR_7R_8$, $-NR_8COR_9$ or $-NR_8SO_2R_9$, R_2 and R_5 each independently represents hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a sulfo group, -NR₇R₈, -NR₈COR₉, $-NR_7CONR_7R_8$, $-CO_2R_7$, $CONR_7R_8$, $-COR_9$, $-SO_2R_9$ or $-SO_2NR_7R_8$, R_3 and R_6 each independently represents a hydrogen atom, an aliphatic group, an aromatic group, $-OR_7$, $-CO_2R_7$, $-COR_9$, $-CONR_7R_8$, $-NR_7R_8$, $-NR_8COR_9$, -NR₈SO₂R₉, -NR₇CONR₇R₈, -SO₂R₉, -SO₂NR₇R₈ or a cyano group (wherein R₇ and R₈ each independently represents hydrogen atom, an aliphatic group or an aromatic group, R9 represents an aliphatic group or an aromatic group, R7 and R8 or R8 and R9 may be combined with each other to form a 5- or 6-membered ring), L_1 , L_2 and L_3 each independently represents a methine group, m represents 0, 1 or 2, M^{n+} represents a n-valence cation, and n represents 1, 2 or 3:

$$D-(X)_{v}$$
 [I]

wherein D represents a compound residue having a chromophore, X represents a dissociative hydrogen atom or a group having a dissociative hydrogen atom, and y represents an integer of from 1

Please replace the paragraph beginning on page 19, line 2 and ending on page 20, line 16 with the following new paragraph:



--(10) A silver halide color photographic light-sensitive material for movie, comprising a transparent support having thereon at least three kinds of light-sensitive hydrophilic colloid layers each containing any one of yellow, magenta and cyan dye-forming couplers and containing silver halide emulsion grains different from each other in the color sensitivity, and at least one light-insensitive hydrophilic colloid layer, wherein any one layer contains at least one compound represented by formula [XI], at least one light-insensitive hydrophilic colloid layer contains a solid fine particle dispersion of a dye represented by formula [I], and the silver halide color photographic light-sensitive material has a film pH of from 4.6 to 6.4:

$$\begin{bmatrix} R_2 & R_3 & L_1 + L_2 = L_3 \end{pmatrix}_{m} & R_6 & R_5 \\ 0 & N & 0 & N & 0 \\ \vdots & \vdots & \vdots & \vdots \\ R_1 & R_2 & R_4 & R_5 \end{bmatrix}$$

wherein R_1 and R_4 each independently represents hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, $-NR_7R_8$, $-NR_7CONR_7R_8$, $-NR_8COR_9$ or $-NR_8SO_2R_9$, R_2 and R_5 each independently represents hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a sulfo group, $-NR_7R_8$, $-NR_8COR_9$, $-NR_8SO_2R_9$, $-NR_7CONR_7R_8$, $-CO_2R_7$, $-CONR_7R_8$, $-COR_9$, $-SO_2R_9$ or $-SO_2NR_7R_8$, R_3 and R_6 each independently represents a hydrogen atom, an aliphatic group, an aromatic group, $-OR_7$, $-CO_2R_7$, $-COR_9$,



-CONR₇R₈, -NR₇R₈, -NR₈COR₉, -NR₈SO₂R₉, -NR₇CONR₇R₈, -SO₂R₉, -SO₂NR₇R₈ or a cyano group (wherein R₇ and R₈ each independently represents hydrogen atom, an aliphatic group or an aromatic group, R₉ represents an aliphatic group or an aromatic group, R₇ and R₈ or R₈ and R₉ may be combined with each other to form a 5- or 6-membered ring), L₁, L₂ and L₃ each independently represents a methine group, m represents 0, 1 or 2, M^{n+} represents a n-valence cation, and n represents 1, 2 or 3:

 $D-(X)_{v}$ [I]

wherein D represents a compound residue having a chromophore, X represents a dissociative hydrogen atom or a group having a dissociative hydrogen atom, and y represents an integer of from 1 to 7.--

Please replace the paragraph beginning on page 20, line 21 and ending on page 21, line 4 with the following new paragraph:



--(12) The silver halide color photographic light-sensitive material for movie as described in (10) above, wherein in formula [XI], R_1 and R_4 each represents a group having at least one sulfo group or carboxy group, R_2 and R_5 each represents a cyano group or a substituted or unsubstituted carbamoyl group, and R_3 and R_6 each represents an aliphatic group or an aromatic group.--